

XEN1220

Differential Ratiometric Magnetic Sensor

Features

- Differential ratiometric magnetic measurement
- One chip solution
- 15nT resolution
- Unmatched low offset (Sub- μ T) and gain precision
- Wide magnetic field range (\pm 63mT)
- No magnetic hysteresis
- Measurement rate up to 5kSPS
- Low voltage operation (2.5V to 3.3V)
- Single supply
- Serial SPI communication
- -40°C to 125°C Temperature Range
- Available in reel



General Description

XEN1220 is a differential magnetic field sensor based on the Hall effect. It uses Sensix's Q-Hall technology, which with a resolution of 15nT and a magnetic field range of 63mT combines the best of Hall and AMR technology in one.

In position and speed applications where conventional Hall and AMR technology suffer from a large natural offset (drift), its unmatched low offset and offset stability simplifies the design.

The XEN1220 contains two identical well matched hall plates, which can be readout in a differential way or both be added. So a ratio-metric differential reading can be made. The XEN1220 can be used for a wide range of magnetic sensing applications.

Its magnetic readout can be programmed between reading out the left hall plate, the right hall plate, the addition of both or the difference of both.

A maximum read-out frequency of 5kSPS can be obtained. The control is fully digital and readout and programming is performed via the SPI bus.

For battery applications, power can be saved by taking single shot measurements. In power-off mode the current draw is limited to below 100nA.

The XEN1220 is available in non-magnetic MSOP packages.

Applications

- Linear Magnetic Field Sensor
- Linear Position and Speed Measurement
- Rotary Position and Speed Measurement
- Current Sensing




Figure 1: Functional block diagram.

XEN1220

Differential Ratiometric Magnetic Sensor

Specifications

Table 1: Specifications for the XEN1220.

| Specification | Conditions | Min | Typ. | Max | Unit |
|------------------------------------|--|-----|------|------|--------|
| <i>Power supply</i> | | | | | |
| VDD | | 2.5 | 3.3 | 3.6 | V |
| IDD | Sleep mode | | 50 | | nA |
| | Idle mode | | 10 | | μA |
| | Power-up mode (Always On) | | 4.7 | | mA |
| <i>Magnetic Specifications</i> | | | | | |
| Field Range | | | ±63 | | mT |
| Gain mismatch | | | 0.25 | | % |
| Gain TC | | | 400 | | ppm/K |
| Gain TC mismatch ¹ | | | 25 | | ppm/K |
| Offset | Without calibration | | 1 | | μT |
| Offset TC | | | 10 | | nT/K |
| Resolution (24 bits ²) | | | 7.5 | | nT/LSB |
| Noise | | | 55 | | nT/√Hz |
| Hysteresis | | | | 10 | nT |
| Maximum exposed field | No effect | | | | |
| <i>System speed</i> | | | | | |
| CLK ³ | | 0.8 | 1 | 5 | MHz |
| Sample speed | 5MHz CLK | | | 5 | kHz |
| Turn on time | 5kHz programmed measurement time, device needs no additional turn on time. | 200 | | | μs |
| <i>SPI Bus</i> | | | | | |
| SPI Speed | | | 400 | | kHz |
| <i>Temperature</i> | | | | | |
| Temperature Range | | -40 | | +125 | °C |

Magnetic Flux Density: 100 micro Tesla (μT) = 1 gauss (G) = 10e (in air)

Magnetic Field: 1 oersted (Oe) = 79.58 amperes/meter (A/m)

100 000 gamma = 1 Oe = 79.58 A/m

¹ Single batch data.

² The LSB is used for encoding the data valid flag, therefore the maximum obtainable resolution is 15nT, this is however well below the practical noise floor, so if the data valid flag is not used, no bitwise masking is required.

³ XEN1220 needs a stable clock frequency.

XEN1220

Differential Ratiometric Magnetic Sensor

Introduction

The XEN1220 is a CMOS linear magnetic field sensor with a very low offset, and two hall plates. It uses Sensix's patented high performance spinning-current Hall-plate technology, a precision amplifier and a sigma delta AD converter, and offers full digital control and communication through a SPI serial bus.

The XEN1220 contains two identical well matched hall plates, which can be readout in a differential way or both be added. So a ratio-metric differential reading can be made. The XEN1220 can be used for a wide range of magnetic sensing applications.

Its magnetic readout can be programmed between reading out the left hall plate, the right hall plate, the addition of both or the difference of both.

Speed and internal measurement time can be changed at will. The clock frequency in combination with the setting in the speed register determine the measurement time of the device from 0.2ms to 66ms. The device can be read out using the data valid signal as an interrupt for the Host CPU or at any desired readout speed. A data-valid flag is present in the data itself.

The device addresses a large magnetic range without the need of gain settings. A 24-bit digital output is provided.

There is no power-up reset so the device has to be initially programmed by the host CPU each time the supply is switched on. The device can be put in sleep mode, idle mode, in continuous measurement mode or in single shot mode. The main use of these modes is the preservation of power.




Figure 2: Typical connection scheme of a XEN1220 to a Host CPU. A 100nF decoupling capacitor can be used when the supplies are not clean.

XEN1220

Differential Ratiometric Magnetic Sensor

Digital Communication - SPI interface

Communication with the XEN1220 occurs via the serial SPI interface. The SPI interface is externally controlled by four signals : chip select (CS), serial clock (SCK), serial data in (SDI), and serial data out (SDO). SPI mode is 1, which means that SCK has a zero base value (CPOL=0) and data is read on SCK's falling edge, while data is changed on the rising edge (CPHA=1). Typically the speed of SCK is 100kHz. Read-out speeds up to 1Mhz are allowed as long as the T_{buf} is satisfied. T_{buf} is typically two times the CLK period.




Figure 3: Timing of the SPI bus interface with chip select, clock, and data signals.

The SPI interface has one serial shift register and two buffers: a receive-buffer in which the data is loaded from the shift register at the end of CS, and a transmit-buffer from which the data is loaded into the shift register at the beginning of CS. Writing the SPI register will shift in serial data from SDI and shift out serial data from SDO pin. Reading and writing is therefore always performed simultaneously.

Transmission always goes in a multiple of 3 bytes with the MSB (bit D23) send first. The SPI interface is still operational when the device is in power-off mode.




Figure 4: Functional block diagram SPI register.

Data Output Format

The XEN1220 provides a 3-byte result in two's complement code. Table 2 shows the digital encoding of the magnetic reading. Data is double buffered and can be read out any time. When new data becomes available through the internal ADC, the XEN1220 pulls down the data valid pin for one clock period and refreshes the 3 byte transmit buffer. The LSB (bit D0) of the buffer is also used as a data valid flag.

When the transmit buffer is loaded into the SPI register at the start of a SPI transmission, the data valid flag is reset to 0. When new ADC data is loaded into the transmit buffer, the DV flag is set to 1. This helps to see if the last read data is new or if it has been read before. If data is not read before a new sample of the ADC is available it is lost. Since the system noise is usually higher than the LSB, it is not strictly necessary to bit-wise mask the data-valid flag, when calculating the magnetic field strength.

XEN1220

Differential Ratiometric Magnetic Sensor

Table 2: Decoding the two's complement code and data-valid flag.

| LSB's | HEX code | Field strength | Remarks |
|----------------------|------------|----------------|-----------------|
| + 2 ²³ -1 | 0x7FFFFFFF | +63 mT | |
| + 255 | 0x0000FF | +1.9 μT | |
| +3 | 0x000011 | +21.5nT | Data valid |
| +2 | 0x000010 | +15nT | Data non valid. |
| +1 | 0x000001 | +7.5nT | Data valid |
| 0 | 0x000000 | 0 | Data non valid. |
| -1 | 0xFFFFF | -7.5nT | Data valid |
| -255 | 0xFFFF01 | -1.9 μT | |
| - 2 ²³ | 0x800000 | -63 mT | |

Data Read Out

When the XEN1220 is read out, care has to be taken that the SDI pin is high. The SDO pin of the host CPU connected to this SDI should be high or high impedance. In the latter case the internal pull-up of the XEN1220 SDI pin ensures a high state. This is necessary to avoid that the device's operation is changed by unintentionally programming it.

Commands

The XEN1220 can be controlled and the settings programmed by sending commands over the SPI bus. Commands are coded in a 3-byte format. The first byte (D23-D16) is the program byte, which defines the desired action. The two remaining bytes (D15-D8 and D7-D0) are the setting bytes, which control the speed and biasing of the device.

Operation Commands

The XEN1220 can be controlled with 4 operation commands: power-on, power-off, system-reset, and single-shot. With these commands only the program byte is used and the setting bytes are ignored. The primary purpose of the modes is system synchronization and power management.

Table 3: Operation commands used with the XEN1220.

| Operation Command | Program Byte |
|-------------------|--------------|
| System-Reset | 0x10 |
| Power-On | 0x20 |
| Power-Off | 0x40 |
| Single-Shot | 0x60 |

Reset

The reset command is used during power-on to reset the state machine of the XEN1220 to its initial state, devices can be synchronized as a group or individual.

Power-off

The power-off command switches off the power to all circuits except for the SPI interface. Communication and programming is still possible during power-off. Power consumption in this mode is several micro-amps.

For full system power saving mode CLK has to be pulled low as well. This also stops the SPI communication. Power consumption during power-off will be less than 100nA.

XEN1220

Differential Ratiometric Magnetic Sensor

Power-on

The power-on command applies power to all circuits. When sending power-on, the system also resets with a system reset command. In this mode measurements are taken continuously and can be read from the SPI bus.

Single-shot

The single-shot command calls the power-on command, performs a single measurement, and calls the power-off command. It is very important NOT to send a new single-shot command before the previous command sequence has finished. This is indicated by the data-valid pulse on the DV pin. If the single-shot command is send before the previous command sequence has finished then the XEN1220 is reset, so the previous single shot sequence will not finish and no new data is provided. The time needed for a single-shot sequence depends on the timing settings of the XEN1220. The single-shot command only works when the device is powered off. In this mode, power can be saved by using the device only when data is required.




Figure 5: The measurement time after a single shot command depends on the timing settings. Only during measurement power is consumed.

Settings Commands

The XEN1220 contains three internal registers to store settings for the analog front end of the ASIC and some digital settings such as the sensors speed. These are called the timing register, the test register and the magnetic register. All registers are double buffered and settings are first stored before they are used to control the chip. In this way the settings of for example input multiplexers can be synchronized with the internal integrating ADC. It is possible to immediately write and use the settings, it is possible to write and use the settings only on the next datavalid and it is possible to write the settings and use the settings of all of the newly written registers on one and the same next datavalid

Table 4: Setting commands used with the XEN1220.

| Settings Command | Program Byte | Setting Bytes | Remarks |
|---------------------|--------------|---------------|------------------------------------|
| Timing register | 0x01 | Table 5 | Wait with use till DataValid sync. |
| Timing register | 0x05 | Table 5 | Direct Use |
| Timing register | 0x09 | Table 5 | Use on next DataValid. |
| Test register | 0x02 | Table 6 | Wait with use till DataValid sync |
| Test register | 0x06 | Table 6 | Direct use. |
| Test register | 0x0A | Table 6 | Use on next DataValid |
| Magnetic register | 0x03 | Table 7 | Wait with use till DataValid sync |
| Magnetic register | 0x07 | Table 7 | Direct Use. |
| Magnetic register | 0x0B | Table 7 | Use on next DataValid |
| Sync All on next DV | 0x0C | | Use all stored on next DataValid |

XEN1220

Differential Ratiometric Magnetic Sensor

Settings Commands

Timing settings

The timing settings control the speed of measurement. There are 7 settings, with each step doubling the number of clock cycles used in the internal ADC. The total conversion time is still dependent on the frequency of CLK. In Table 5, two situations have been calculated: one at 1MHz clock speed, and one at 5MHz clock speed.

Table 5: Read out frequency and measurement time for the speed settings and 1MHz or 5MHz clock.

| Timing Settings | Clock Cycles | 1MHz | | | 5MHz | | | |
|-----------------|--------------|-----------|----------|-----|-------------------------------|-----------|--------------|-------------------------------|
| | | Time [ms] | Max [Hz] | SPS | Noise (σ) [μ T] | Time [ms] | Max SPS [Hz] | Noise (σ) [μ T] |
| 0x1113 | 1024 | 1.0 | 976.6 | | 2.3 | 0.20 | 4882.8 | 5.1 |
| 0x2113 | 2048 | 2.1 | 488.3 | | 1.6 | 0.41 | 2441.4 | 3.6 |
| 0x3113 | 4096 | 4.1 | 244.1 | | 1.2 | 0.82 | 1220.7 | 2.6 |
| 0x4113 | 8192 | 8.2 | 122.1 | | 0.81 | 1.64 | 610.4 | 1.8 |
| 0x5113 | 16384 | 16.4 | 61.0 | | 0.57 | 3.28 | 305.2 | 1.3 |
| 0x6113 | 32768 | 32.8 | 30.5 | | 0.41 | 6.55 | 152.6 | 0.91 |
| 0x7113 | 65536 | 65.5 | 15.3 | | 0.29 | 13.1 | 76.3 | 0.64 |

Test settings

The settings for test are not used in normal operation, however, the test register has to be programmed by standard settings. Its value is shown in Table 6 and should not be changed.

Table 6: Test settings.

| Test Settings |
|---------------|
| 0x3A00 |

Magnetic settings

Only the last byte is used for programming the magnetic settings. The difference between current switched and current always on is that the currents switched will consume a bit more power and current always on will have a more stable signal.

Table 7: Coding of the read-out of the two hall plates.

| Setting | Magnetic Settings Byte |
|-----------------------------------|------------------------|
| Automatic additive readout | 0x0000 |
| Automatic differential readout | 0x0001 |
| Readout left plate (I switched) | 0x0006 |
| Readout right plate (I switched) | 0x000E |
| Readout left plate (I always on) | 0x0016 |
| Readout right plate (I always on) | 0x001E |

XEN1220

Differential Ratiometric Magnetic Sensor

Combined Commands

Operation commands and setting commands can be combined, by adding the command codes. This is most useful for the single shot command, where a sample time can be programmed for each individual single shot.

Table 8: Combined commands.

| Command | Program Byte | Setting Bytes |
|------------------------|--------------|---------------|
| Single-Shot and Timing | 0x61 | 0x1113 |

XEN1220

Differential Ratiometric Magnetic Sensor

Typical initialization and operation

Power supply on initialization

The XEN1220 does not reset when power is applied, and the device has to be fully programmed before use. Good programming practice is to first send a power-off command and then program both timing and test registers with the desired settings.

Table 9: Device initialization sequence.

| Command | Program Byte | Setting Bytes |
|------------------|--------------|---------------|
| Power-Off | 0x40 | 0x0000 |
| Timing | 0x01 | 0x1113 |
| Test | 0x02 | 0x3A00 |
| Magnetic reading | 0x03 | 0x0000 |

Full Power Mode

A full-power operation can be entered by sending the power-on command. Directly after sending the power-on command, all devices that are connected to the bus are synchronized and will start measuring continuously at the programmed speed.

The XEN1220 data can now be read by either using the DV pin as an interrupt, or by just clocking out the SPI data. Duplicate data can be filtered by looking at the data valid flag in the LSB of the data word.

Table 10: Device put into continuous measurement mode.

| Command | Program Byte | Setting Bytes |
|----------|--------------|---------------|
| Power-On | 0x20 | 0x0000 |

Reprogramming during operation

Because settings are implemented immediately, reprogramming during operation should be combined with a system synchronization command. This will prevent a change of settings while a measurement takes place, which can lead to incorrect magnetic readings. Synchronization and reprogramming can be combined in a single command.

Table 11: Reprogramming the device during measurement.

| Command | Program Byte | Setting Bytes |
|-------------------------|--------------|---------------|
| Power-On and Timing | 0x21 | 0x1113 |
| System-Reset and Timing | 0x11 | 0x1113 |

Single-Shot Mode

A single-shot operation with a measurement time of 1ms (with 1MHz clock) is shown in Table 11. The command powers on the device for 1 measurement and powers off immediately after. The device then keeps the data in memory until read by the host CPU.

Table 12: Taking a single shot with a sample time of 1ms.

| Command | Program Byte | Setting Bytes |
|------------------------|--------------|---------------|
| Single-Shot and Timing | 0x61 | 0x1113 |

XEN1220

Differential Ratiometric Magnetic Sensor




Figure 6: Flow diagram for continuous operation (a) or single shot operation (b).

XEN1220

Differential Ratiometric Magnetic Sensor

Connection schemes

By using multiple XEN1220, many magnetic measurement problems can be solved. The devices can be electrically connected in two ways:

Parallel

The devices can be used with SDI and SDO fully parallel and separate CS pins. They are selected individually.

Daisy chain

Several devices can be daisy chained by connecting SDO to the next SDI. As such, they function as one long shift register, so commands and data are sent and received in multiples of 3 bytes. Commands and data of the individual devices in the chain have to be positioned in the correct order.




Figure 7: Devices connected in parallel mode use a separate chip select signal (left), and devices connected in daisy chain mode use a single chip select signal and loop the SDI-SDO shift registers (right).

XEN1220

Differential Ratiometric Magnetic Sensor

Ordering information

Table 13: Ordering number.

| Ordering number | Product |
|-----------------|---------------------|
| XEN1220-MSOP8 | Single sensor MSOP8 |

XEN1220 MSOP8




Figure 8 Drawing of the MSOP8 package pin numbering and position of the Hall plates.

Table 14: XEN-1220-MSOP8 pinning

| Pin | Name | Type | Functionality |
|-----|------|---------------|---|
| 1 | CS | Dig. In | Chip Select selects the device when this input is low. A high level deselects the device and forces SDO into tri-state mode. |
| 2 | SCK | Dig. In | Serial shift Clock determines the speed of the SDI/SDO shift register. |
| 3 | SDO | Tri-state Out | Serial Data Output pin. Data is shifted out on the positive edge of SCK. |
| 4 | GND | Power | Analog and Digital Ground |
| 5 | VDD | Power | Analog and Digital Power Supply (2.5V - 3.3V) |
| 6 | DV | Dig. Out | The Data Valid pin is pulled down when the internal shift register is refreshed with new data. It can be used as an interrupt signal for the μ P. |
| 7 | SDI | Dig. In | Serial Data Input pin. Data shifted in is committed on the falling edge of SCK |
| 8 | CLK | Dig. In | CLock is the main clock frequency and determines the speed of the module. Typical clock frequency is 1-5MHz. |

XEN1220

Differential Ratiometric Magnetic Sensor

General Information

Product Status

The XEN1220 is in production in MSOP8, and delivered in tubes. ASIC dies, other chip packages, are available on request. The magnetic technology used in the XEN1220 is also available as IP. At higher volumes, application specific products are offered.

Customers are encouraged to check for further product developments. Please contact Sensix Design b.v. for further details.

Right to make changes

Sensix Design reserves the right to make changes to improve reliability, function or design of the devices. Sensix Design assumes no responsibility or liability for the use of this product.

Application Information

Applications that are described herein are for illustrative purposes only. Sensix Design makes no representation or warranty that such applications will be suitable for the specified use without further testing or modification.

Life critical applications

These products are not qualified for use in life support applications, aeronautical applications or devices or systems where malfunction of these products can reasonably be expected to result in personal injury

Sensix Design b.v.

Distributieweg 28
2645 EJ Delfgauw
The Netherlands

Phone +31 (0)15-3010018

Web: www.sensix.nl

Copyright © 2013 by Sensix Design b.v. , The Netherlands

All rights reserved. No part of this document may be copied or reproduced in any form or by any means without the prior written agreement of the copyright owner. Sensix Design does not assume any liability for any consequence of its use.